Intent Memory in Complex Adaptive Institutions: A Boundary-Encoding Analogy to Gravitational Memory and Celestial Holography

Code+Philosophy
The Intent Economy™

Abstract

Persistent memory effects in asymptotically flat spacetime demonstrate that transient scattering events can leave permanent imprints on boundary structure. In gravitational systems, soft theorems and asymptotic symmetries imply that radiation passing through spacetime produces measurable residual displacement, commonly referred to as gravitational memory. After the wave has passed, spacetime does not return to its original configuration.

This paper proposes a structural analogy between persistence phenomena in gravitational physics and irreversibility in complex adaptive human institutions. In organizational and political economies, initiating intent propagates through constraint landscapes, produces observable behavior, and ultimately becomes encoded into durable institutional structures—laws, norms, incentives, and narratives. Even after initiating actors depart and stimuli dissipate, the system remains permanently shifted.

We formalize an Intent → Friction → Action → Behavior → System Outcome progression as a dynamical model. Institutional memory is defined as residual displacement between baseline and long-run equilibrium states. We further introduce a compression operator that models how bulk social dynamics encode into boundary structures. The aim is not to collapse physics into sociology, but to examine whether information persistence across dimensions—bulk dynamics compressing into boundary conditions—constitutes a structural principle relevant to governance design.

Contents

1 Structural Discipline Without Category Error **2**

2 Institutional State Space **2**

3 Intent as Initial Condition **3**

4 Friction Topology **4**

5 Behavioral Propagation and Outcome Stabilization **4**

6 Institutional Memory as Residual Displacement **4**

7 Boundary Encoding **5**

8 Soft Intent and Weak Signal Accumulation **5**

9 Irreversibility and Reversion Cost **5**

1 Structural Discipline Without Category Error

This paper does not assert equivalence between gravitational systems and human institutions. Human systems involve agency, power asymmetries, strategic deception, and open boundaries. They do not obey physical law in any literal sense.

The value of the analogy lies in structural discipline. Gravitational memory teaches us:

- Transient events can produce permanent displacement.
- Soft modes matter globally.
- Boundary structure encodes bulk history.
- Irreversibility has measurable cost.

Institutions exhibit comparable features. Policy shocks, crisis interventions, technological deployments, and economic reforms alter long-term trust distributions, incentive structures, and legitimacy baselines. Even after the stimulus dissipates, the system does not revert to its prior state. The system remembers. This paper formalizes that claim.

2 Institutional State Space

Let an institutional system be represented by a state vector:

$$S(t) \in \mathbb{R}^n$$

Where components of $S(t)$ represent measurable macro-variables such as trust distribution, enforcement intensity, compliance rates, capital allocation flows, normative legitimacy indices, and

institutional stability metrics.

The system evolves over time according to:

$$\frac{dS}{dt} = F(S, I, C)$$

Where $I(t)$ is the intent function, $C(t)$ is the constraint field (friction topology), and F is the propagation operator (generally nonlinear).




Figure 1: Institutional systems evolve under directional intent and constraint topology.

3 Intent as Initial Condition

Intent is defined as a directional perturbation applied at time t_0:

$$I(t_0) = \Delta S_0$$

Intent is not behavior; it is directional objective expressed through authority and resource allocation.

In simplified linearized form:

$$\frac{dS}{dt} = I(t) - \Gamma S$$

Where Γ is a friction matrix; positive eigenvalues correspond to damping channels and negative eigenvalues correspond to amplification channels.

In realistic systems:

$$\frac{dS}{dt} = I(t) - \Gamma(S, t)\, S + \Phi(S, t)$$

Where $\Phi(S, t)$ captures adaptive feedback, strategic response, and nonlinear amplification.




Figure 2: Intent propagates through friction and adaptive feedback before stabilizing.

4 Friction Topology

Friction is structural resistance embedded in the system. We model friction as an operator:

$$\mathcal{F}(S) = \Gamma S$$

Constraint components include procedural friction, economic friction, cultural friction, and informational friction. The eigenstructure of Γ determines propagation geometry. Low friction tends to produce rapid system reconfiguration; high friction tends to damp and localize changes. Even damped propagation may produce durable boundary residue.

5 Behavioral Propagation and Outcome Stabilization

Behavior stabilizes into a new equilibrium if:

$$\lim_{t \to \infty} \frac{dS}{dt} = 0$$

Let baseline state be:

$$S_{baseline} = S(t_0^-)$$

After stimulus dissipates:

$$\lim_{t \to \infty} I(t) = 0$$

If:

$$S(\infty) \neq S_{baseline}$$

then institutional memory exists.

Figure 3 Placeholder (Residual institutional displacement)

Figure 3: Institutional memory appears as residual displacement from baseline equilibrium.

6 Institutional Memory as Residual Displacement

We define institutional memory M as:

$$M = S(\infty) - S_{baseline}$$

Where $M \neq 0$ implies irreversible structural shift, $\|M\|$ measures magnitude of displacement, and memory persists independent of ongoing stimulus.

7 Boundary Encoding

Let $S(t)$ be bulk institutional dynamics and $B(t)$ be the boundary layer. Define compression operator:

$$\mathcal{C} : S(0:t) \to B(t)$$

Such that:

$$B(t) = \mathcal{C}[S(0:t)]$$

The boundary feeds back into bulk dynamics:

$$\frac{dS}{dt} = F(S, B)$$

Recursive structure: Bulk → Compression → Boundary → Constraint → Bulk.

Figure 4 Placeholder (Bulk–boundary compression and feedback)

Figure 4: Distributed dynamics compress into boundary layers that recursively constrain future evolution.

8 Soft Intent and Weak Signal Accumulation

Define soft intent signals:

$$I_{soft}(t) = \epsilon_i \quad \text{where } \epsilon_i \ll 1$$

Accumulation over time:

$$\int_{t_0}^{t_1} I_{soft}(t)\, dt = \Sigma \epsilon_i$$

If:

$$\Sigma \epsilon_i > \lambda_{critical}$$

then structural reparameterization occurs. Weak signals can generate curvature.

Figure 5 Placeholder (Soft intent threshold model)

Figure 5: Repeated low-amplitude signals can cross structural thresholds and shift equilibrium.

9 Irreversibility and Reversion Cost

Reversion requires energy input proportional to memory magnitude:

$$E_{reversal} \propto \|M\| + \kappa$$

Where κ is coordination + legitimacy cost and $\|M\|$ is structural displacement magnitude. Large memory implies large reversal cost.

Conclusion

Institutions are persistent systems. Intent functions as an initial condition. Friction shapes propagation geometry. Action produces distributed behavior. Behavior stabilizes into new equilibrium. Boundary layers encode cumulative history. Residual displacement becomes memory. Reversal requires energy.

Governance is not merely the management of events. It is the engineering of future boundary conditions. Every intent leaves a trace.

References

1. Pasterski, S., Pate, M., & Raclariu, A.-M. (2021). *Celestial holography* (Snowmass white paper). arXiv:2111.11392.

2. Strominger, A., Zhiboedov, A. *Gravitational Memory, BMS Supertranslations and Soft Theorems.* arXiv:1411.5745.

3. Pasterski, S. *Asymptotic Symmetries and Electromagnetic Memory.* arXiv:1505.00716.

4. Donnay, L. (2024). Celestial holography: An asymptotic symmetry perspective. *Physics Reports*, 1073, 1–41. https://doi.org/10.1016/j.physrep.2024.04.003.

5. S. Weinberg, *Infrared Photons and Gravitons*, Phys. Rev. **140** (1965) B516–B524, doi:10.1103/PhysRev.140.B516.

6. H. Bondi, M. G. J. van der Burg, and A. W. K. Metzner, *Gravitational Waves in General Relativity. VII. Waves from Axi-Symmetric Isolated Systems*, Proc. Roy. Soc. Lond. A **269** (1962) 21–52, doi:10.1098/rspa.1962.0161.

7. R. K. Sachs, *Asymptotic Symmetries in Gravitational Theory*, Phys. Rev. **128** (1962) 2851–2864, doi:10.1103/PhysRev.128.2851.

8. D. Christodoulou, *Nonlinear Nature of Gravitation and Gravitational-Wave Experiments*, Phys. Rev. Lett. **67** (1991) 1486–1489, doi:10.1103/PhysRevLett.67.1486.

9. V. B. Braginsky and K. S. Thorne, *Gravitational-wave bursts with memory and experimental prospects*, Nature **327** (1987) 123–125, doi:10.1038/327123a0.

10. K. S. Thorne, *Gravitational-wave bursts with memory: The Christodoulou effect*, Phys. Rev. D **45** (1992) 520–524, doi:10.1103/PhysRevD.45.520.

11. A. Strominger, *On BMS Invariance of Gravitational Scattering*, arXiv:1312.2229 [hep-th].

12. T. He, V. Lysov, P. Mitra, and A. Strominger, *BMS supertranslations and Weinberg's soft graviton theorem*, arXiv:1401.7026 [hep-th].

13. F. Cachazo and A. Strominger, *Evidence for a New Soft Graviton Theorem*, arXiv:1404.4091 [hep-th].

14. D. Kapec, V. Lysov, S. Pasterski, and A. Strominger, *Semiclassical Virasoro Symmetry of the Quantum Gravity $\mathcal{S}$-Matrix*, arXiv:1406.3312 [hep-th].

15. S. Pasterski, S.-H. Shao, and A. Strominger, *Flat Space Amplitudes and Conformal Symmetry of the Celestial Sphere*, arXiv:1701.00049 [hep-th].

16. A.-M. Raclariu, *Lectures on Celestial Holography*, arXiv:2107.02075 [hep-th].

17. S. W. Hawking, M. J. Perry, and A. Strominger, *Soft Hair on Black Holes*, arXiv:1601.00921 [hep-th].

18. G. Barnich and C. Troessaert, *BMS charge algebra*, arXiv:1106.0213 [hep-th].

19. R. M. Wald and A. Zoupas, *A General Definition of "Conserved Quantities" in General Relativity and Other Theories of Gravity*, arXiv:gr-qc/9911095.

20. G. Barnich and C. Troessaert, *Symmetries of asymptotically flat 4 dimensional spacetimes at null infinity revisited*, arXiv:0909.2617 [gr-qc].

21. G. Barnich and C. Troessaert, *Aspects of the BMS/CFT correspondence*, arXiv:1001.1541 [hep-th].

22. G. Barnich and C. Troessaert, *Supertranslations call for superrotations*, arXiv:1102.4632 [gr-qc].

23. S. Pasterski, A. Strominger, and A. Zhiboedov, *New Gravitational Memories*, arXiv:1502.06120 [hep-th].

24. P. Mao and J. Wang, *Gravitational and electromagnetic memory*, arXiv:1912.01840 [gr-qc].